



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/582,548	06/09/2006	Minoru Sugiyama	3163-061714	4734

28289 7590 12/22/2010
THE WEBB LAW FIRM, P.C.
700 KOPPERS BUILDING
436 SEVENTH AVENUE
PITTSBURGH, PA 15219

EXAMINER

MARKS, JACOB B

ART UNIT	PAPER NUMBER
----------	--------------

1729

MAIL DATE	DELIVERY MODE
-----------	---------------

12/22/2010

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/582,548	Applicant(s) SUGIYAMA ET AL.	
	Examiner JACOB MARKS	Art Unit 1795	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 13 September 2010.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-8, 16 and 17 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-8, 16 and 17 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 09-13-2010 has been entered.

DETAILED ACTION

Claims 1-8, 16, and 17 are pending. Claim 1 was amended. Claims 9-15 are cancelled. Claim 17 is new.

The text of those sections of 35 U.S.C. code not included in this action can be found in the previous office action dated 10-28-2009.

All claim rejections from the previous final rejection dated 05-12-2010 are maintained.

Claim Rejections - 35 USC § 103

Claims 1-8, 16, and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Munshi (US Pat. Pub. 2003/0026063) in view of "Skotheim et al. (US Pat. No. 6,797,42328 and as evidenced by "In situ SEM study of the interfaces in plastic lithium cell," Journal of Power Sources Vol. 81-82, Sept. 1999, pgs. 918-921, F. Orsini et al. (hereinafter Orsini et al.).

Regarding claims 1-3, Munshi discloses an electrochemical capacitor comprising: a thin polymer film with electrolyte absorbed therein (polymer electrolyte), an anode and a cathode (abstract). Electrodes of electrochemical capacitors are inherently polarizable. Munshi discloses an anode (16 and 20) comprising a metal layer 16 and an active material layer 20 that are formed on the electrolyte 70 (par. 84, fig. 2). Munshi discloses that the anode active material 20 and the cathode active material 60 sandwich the electrolyte 70 (fig. 2, par. 84). Munshi discloses that the electrolyte may be composed of a lithium salt (par. 34). Munshi further teaches that active materials based on lithium battery active materials have the advantage of allowing prolonged discharge times and increased capacity (par. 79). Munshi discloses the use of transition metal oxides as the active material (79). A capacitor with a transition metal oxide active material and lithium salt electrolyte would inherently be capable of releasing lithium ions through a reversible electrochemical oxidation-reduction reaction. Munshi does not disclose that a lithium-metal alloy, or more specifically a lithium-gold alloy can be used as part of the active material.

However, Skotheim et al. disclose an anode active material for a lithium ion battery comprising lithium and a lithium metal alloy, wherein the lithium may be alloyed with gold (abstract, col. 16 lines 24-45). Therefore, it would have been obvious to one of ordinary skill in the art to use the active material containing a gold-lithium alloy, as taught by Skotheim et al., in the capacitor of Munshi, because Munshi discloses that active materials based on lithium battery active materials have prolonged discharge times and increased capacity.

The combination of Munshi and Skotheim et al. does not specifically disclose that lithium electrode (metal component) is contained in the polymer electrolyte, that the outer electrolyte is rich in lithium electrode material (metal) or that the electrolyte center is rich in electrolyte. However, Orsini et al. discloses that during normal charge and discharge of lithium anodes that lithium forms dendrites that can pierce the electrolyte components (pgs. 919-920, fig. 4 and 5). Therefore, the combination of Munshi and Skotheim would inherently form dendrites of lithium (metal component) in the polymer electrolyte during normal use of the capacitor. Such lithium dendrites would cause the lithium (metal component) to be rich in the outer regions of the electrolyte and would cause the electrolyte to be rich in the center. Therefore it would have been obvious to one of ordinary skill in the art to form a rich metal region in the outer area of the electrolyte and a rich electrolyte region in the center of the electrolyte of the Munshi and Skotheim combination because Orsini et al. disclose that lithium dendrites can form during the normal charging and discharging of lithium electrodes.

Regarding claim 4, Munshi discloses that the cathode and the anode should consist of similar materials. Therefore, the combination of Munshi and Skotheim would inherently have the same gold-lithium anode and cathode as discussed with respect to claim 1.

Regarding claim 5, Munshi discloses that the electrolyte may be composed of a lithium salt (par. 34). Munshi further teaches that active materials based on lithium battery active materials have the advantage of allowing prolonged discharge times and increased capacity (par. 79). Munshi discloses the use of transition metal oxides as the

Art Unit: 1795

active material (79). A capacitor with a transition metal oxide active material and lithium salt electrolyte would inherently have lithium deposited on the electrode during charging and discharging. The combination of Munshi and Skotheim et al. would inherently have the lithium alloy form on the lithium gold alloy component of the active material.

Regarding claim 6, Munshi discloses that the polymer electrolyte may be Nafion or poly(bis(methoxy-ethoxy-ethoxide))-phos- phazene (MEEP), which are ion exchange resins (par. 33).

Regarding claim 7, Munshi disclose an anode, a cathode and an electrolyte (electrode assembly) (abstract).

Regarding claim 8, Munshi discloses capacitor electrodes with high capacity. The combination of Munshi and Skotheim et al. would inherently have a capacity of $20\text{F}/\text{cm}^3$.

Regarding claim 16, the combination of Munshi and Skotheim et al. does not specifically disclose that lithium electrode forms a projecting part in a boundary region of the polymer electrolyte in the shape of an icicle. However, Orsini et al. discloses that during normal charge and discharge of lithium anodes, lithium forms dendrites that can pierce the electrolyte components (pgs. 919-920, fig. 4 and 5). Therefore, the combination of Munshi and Skotheim would inherently form dendrites of lithium (metal component) in the polymer electrolyte during normal use of the capacitor. Such lithium dendrites would be in the shape of an icicle (fig. 5). Therefore it would have been obvious to one of ordinary skill in the art to form the electrode with a projecting part in the shape of an icicle in the combination of the Munshi and Skotheim because Orsini et

Art Unit: 1795

al. disclose that lithium dendrites can form during the normal charging and discharging of lithium electrodes.

Regarding claim 17, the combination of Munshi and Skotheim et al. does not specifically disclose the formation of a projecting part in a boundary region of the polymer electrolyte that is in the shape of a substantially cyclical curve. However, Orsini et al. discloses that during normal charge and discharge of lithium anodes, lithium can form a dendrite moss that can pierce the electrolyte components wherein the dendrite moss has a borderline that is a substantially cyclical curve (pgs. 919-920, fig. 4 and 5). Therefore, the combination of Munshi and Skotheim would inherently form a dendrite moss of lithium (metal component) that is in the shape of a substantially cyclical curve in the polymer electrolyte during normal use of the capacitor.




Fig. 4. Lithium battery section after 1 charge (a) and 14 charges (b) ($C/5$, 0.45 mA/cm^2).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JACOB MARKS whose telephone number is (571)270-7873. The examiner can normally be reached on Monday through Friday 7:30-5:00 alt Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ula Ruddock can be reached on 571-272-1481. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jacob Marks/

/Ula C Ruddock/
Supervisory Patent Examiner, Art Unit 1795